



ELSEVIER

Solar Energy Materials and Solar Cells 33 (1994) 535-538

---

---

Solar Energy Materials  
and Solar Cells

---

---

## Author Index Volume 33

- Al-Bassam, A.A.I., see Al-Dhafiri, A.M. 33 (1994) 177
- Al-Dhafiri, A.M. and A.A.I. Al-Bassam, The mechanism of the oxygen annealing in gold surface barriers on  $\text{CdS}_x\text{Se}_{1-x}$  devices 33 (1994) 177
- Ameziane, E.L., see Debbagh, F. 33 (1994) 117
- Ameziane, E.L., see Ech-chamikh, E. 33 (1994) 361
- Ameziane, E.L., see Ech-chamikh, E. 33 (1994) 443
- Anderson, W.A., see Yi, J. 33 (1994) 145
- Araújo, G.L. and A. Martí, Absolute limiting efficiencies for photovoltaic energy conversion 33 (1994) 213
- Azizan, M., see Debbagh, F. 33 (1994) 117
- Azizan, M., see Ech-chamikh, E. 33 (1994) 361
- Azizan, M., see Ech-chamikh, E. 33 (1994) 443
- Bailey, S.G., see Jenkins, P. 33 (1994) 125
- Barlow, F., M.A. Naby, A. Joshi and A. Elshabini-Riad, Comprehensive evaluation of ITO thick films produced under optimum annealing conditions 33 (1994) 63
- Barua, A.K., see Ray, S. 33 (1994) 517
- Basu, P.K. and S.N. Singh, On the determination of minority carrier diffusion length in the base region of  $n^+p-p^+$  silicon solar cells using photoresponse methods 33 (1994) 317
- Bendig, J., see Ross, H. 33 (1994) 475
- Bennouna, A., see Ech-chamikh, E. 33 (1994) 361
- Bennouna, A., see Ech-chamikh, E. 33 (1994) 443
- Binder, G., see Schön, J.H. 33 (1994) 403
- Bobrenko, Yu.N., V.V. Kislyuk, K.V. Kolezhuk, V.N. Komashchenko, S.Yu. Pavelets and T.E. Shengeliya, II-VI thin-film polycrystalline multilayer converters for solar photovoltaics 33 (1994) 83
- Bounouh, Y., see Ech-chamikh, E. 33 (1994) 361
- Bounouh, Y., see Ech-chamikh, E. 33 (1994) 443
- Brunel, M., see Debbagh, F. 33 (1994) 117
- Bucher, E., see Kirchner, R. 33 (1994) 453
- Bucher, E., see Schön, J.H. 33 (1994) 403
- Butylkina, N.A., see Katz, E.A. 33 (1994) 51
- Cardoner, F., see Font, J. 33 (1994) 169
- Cernogora, J., see Ech-chamikh, E. 33 (1994) 361
- Cernogora, J., see Ech-chamikh, E. 33 (1994) 443
- Chattopadhyay, K.K., see Pal, R. 33 (1994) 241
- Chaudhuri, S., see Pal, R. 33 (1994) 241
- Datta, S.K., K. Mukhopadhyay, P.K. Pal and H. Saha, Analysis of thin silicon solar cells for high efficiency 33 (1994) 483
- Davies, P.A. and A. Luque, Solar thermophotovoltaics: brief review and a new look 33 (1994) 11

- De, A., see Ray, S. 33 (1994) 517
- Debbagh, F., E.L. Ameziane, M. Azizan and M. Brunel, Structural and electrical properties of RF sputtered Cu/Te/CdTe contact 33 (1994) 117
- Delley, B. and H. Kiess, 2-Dimensional simulation of high efficiency silicon solar cells 33 (1994) 1
- De Paoli, M.-A., see Polo da Fonseca, C.N. 33 (1994) 73
- Deroo, D., see Kéomany, D. 33 (1994) 429
- Dilmaç, S. and F. Tepehan, The effect of the inner structure on the absorbance of cement based exterior coatings 33 (1994) 199
- Doeff, M.M., see Lampert, C.M. 33 (1994) 91
- Ech-chamikh, E., E.L. Ameziane, A. Bennouna, M. Azizan, Y. Bounouh, M.L. Thèye, J. Cernogora and J.L. Fave, Optical and structural properties of RF sputtered a-C:H films 33 (1994) 361
- Ech-chamikh, E., E.L. Ameziane, M. Azizan, A. Bennouna, J.L. Fave, J. Cernogora, Y. Bounouh and M.L. Thèye, Structural, electrical and optical properties of RF sputtered a-C films 33 (1994) 443
- Elshabini-Riad, A., see Barlow, F. 33 (1994) 63
- Evtody, B.N., see Katz, E.A. 33 (1994) 51
- Fatemi, N.S., see Jenkins, P. 33 (1994) 125
- Fave, J.L., see Ech-chamikh, E. 33 (1994) 443
- Fave, J.L., see Ech-chamikh, E. 33 (1994) 361
- Fernando, C.A.N., A. Kitagawa, M. Suzuki, K. Takahashi and T. Komura, Photoelectrochemical properties of rhodamine-C<sub>18</sub> sensitized p-CuSCN photoelectrochemical cell (PEC) 33 (1994) 301
- Font, J., J. Muntasell and F. Cardoner, Preliminary study of a heat storage unit using a solid-solid transition 33 (1994) 169
- Gavarri, J.R., see Valmalette, J.C. 33 (1994) 135
- Gavrilina, A., see Koltun, M. 33 (1994) 41
- Ghosh, S., see Ray, S. 33 (1994) 517
- Giron, J.-C., see Lampert, C.M. 33 (1994) 91
- Goggin, R., see Schissel, P. 33 (1994) 183
- Gorenstein, A., see Polo da Fonseca, C.N. 33 (1994) 73
- Gukhman, G., see Koltun, M. 33 (1994) 41
- Harihar, G. and G. Prabhakara Rao, Novel photochemical/photoelectrochemical systems based on metal hexacyanoferrates 33 (1994) 499
- He, Y., see Lampert, C.M. 33 (1994) 91
- Hecht, S., see Ross, H. 33 (1994) 475
- Hishikawa, Y. and S. Okamoto, Dependence of the *I-V* characteristics of amorphous silicon solar cells on illumination intensity and temperature 33 (1994) 157
- Janssen, G.J.M., see Mijnen, P.E. 33 (1994) 345
- Jenkins, P., G.A. Landis, N.S. Fatemi, D. Scheiman, X. Li and S.G. Bailey, An InP solar cell with a light-trapping front surface 33 (1994) 125
- John, S. and S. Santhi, Electroplated cobalt-cadmium selective solar absorbers 33 (1994) 505
- Jorgensen, C., see Reisfeld, R. 33 (1994) 417
- Jorgensen, G., see Schissel, P. 33 (1994) 183
- Joshi, A., see Barlow, F. 33 (1994) 63
- Kabakov, V.I. and L.B. Levin, A choice of the position of receiver with photocells in parabolic trough concentrator 33 (1994) 45
- Katz, E.A., A.E. Luk'yanov, N.A. Butylkina and B.N. Evtody, SEM investigation of structural defect hydrogen passivation in silicon 33 (1994) 51

- Kennedy, C., see Schissel, P. 33 (1994) 183
- Kéomany, D., C. Poinson and D. Deroo, Sol gel preparation of mixed cerium-titanium oxide thin films 33 (1994) 429
- Kiess, H., see Delley, B. 33 (1994) 1
- Kirchner, R., M.Ch. Lux-Steiner, E. Liebemann and E. Bucher, Computations of the optical properties of metal/insulator-multilayers for solar thermal applications 33 (1994) 453
- Kislyuk, V.V., see Bobrenko, Yu.N. 33 (1994) 83
- Kitagawa, A., see Fernando, C.A.N. 33 (1994) 301
- Kolezhuk, K.V., see Bobrenko, Yu.N. 33 (1994) 83
- Kolodinski, S., J.H. Werner and H.J. Queisser, Quantum efficiencies exceeding unity in silicon leading to novel selection principles for solar cell materials 33 (1994) 275
- Koltun, M., G. Gukhman and A. Gavrilina, Stable selective coating "black nickel" for solar collector surfaces 33 (1994) 41
- Koltun, M.M., Solar cells and batteries with unusual selective coatings for combined supply of heat and electricity by solar power stations 33 (1994) 31
- Komashchenko, V.N., see Bobrenko, Yu.N. 33 (1994) 83
- Komura, T., see Fernando, C.A.N. 33 (1994) 301
- Lampert, C.M., S.J. Visco, M.M. Doeff, Y.P. Ma, Y. He and J.-C. Giron, Characteristics of laminated electrochromic devices using polyorganosulfide electrodes 33 (1994) 91
- Landis, G.A., see Jenkins, P. 33 (1994) 125
- Levin, L.B., see Kabakov, V.I. 33 (1994) 45
- Li, J., Novel Silicon Solar Cell Research Program 33 (1994) 107
- Li, X., see Jenkins, P. 33 (1994) 125
- Liebemann, E., see Kirchner, R. 33 (1994) 453
- Luk'yanov, A.E., see Katz, E.A. 33 (1994) 51
- Luque, A., see Davies, P.A. 33 (1994) 11
- Lux-Steiner, M.Ch., see Kirchner, R. 33 (1994) 453
- Ma, Y.P., see Lampert, C.M. 33 (1994) 91
- Martí, A., see Araújo, G.L. 33 (1994) 213
- Mijnarends, P.E., G.J.M. Janssen and W.C. Sinke, The effect of material inhomogeneities on the characteristics of semicrystalline silicon solar cells: the second diode 33 (1994) 345
- Mukhopadhyay, K., see Datta, S.K. 33 (1994) 483
- Muntasell, J., see Font, J. 33 (1994) 169
- Naby, M.A., see Barlow, F. 33 (1994) 63
- Oelher, U. and W. Scheffler, The use of indigenous materials for solar conversion 33 (1994) 379
- Okamoto, S., see Hishikawa, Y. 33 (1994) 157
- Pal, A.K., see Pal, R. 33 (1994) 241
- Pal, P.K., see Datta, S.K. 33 (1994) 483
- Pal, R., K.K. Chattopadhyay, S. Chaudhuri and A.K. Pal, Photoconductivity in  $\text{CuInSe}_2$  films 33 (1994) 241
- Palmer, J., see Yi, J. 33 (1994) 145
- Patil, P.R., see Patil, P.S. 33 (1994) 293
- Patil, P.S. and P.R. Patil, Photoelectrochemical characterization of sprayed tungsten oxide thin films 33 (1994) 293
- Pavelets, S.Yu., see Bobrenko, Yu.N. 33 (1994) 83
- Poinson, C., see Kéomany, D. 33 (1994) 429
- Polo da Fonseca, C.N., M.-A. De Paoli and A. Gorenstein, Electrochromism in cobalt oxide thin films grown by anodic electroprecipitation 33 (1994) 73

- Poulek, V., New low cost solar tracker 33 (1994) 287  
 Prabhakara Rao, G., see Harihar, G. 33 (1994) 499
- Queisser, H.J., see Kolodinski, S. 33 (1994) 275
- Quintana, J. and P.J. Sebastian, The influence of various substrate treatments on morphology and selective absorber characteristics of electrochemical black chrome 33 (1994) 465
- Ramachandraiah, G., see Rao, N.N. 33 (1994) 331
- Rao, N.N. and G. Ramachandraiah, Polycrystalline n-CuInSe<sub>2</sub> photoelectrochemical solar cells — Electrochemistry and deposition of copper and indium at the photoanode and the accompanying efficiency enhancement 33 (1994) 331
- Ray, S., S. Ghosh, A. De and A.K. Barua, Improved quality a-SiC:H films prepared by photo chemical vapour decomposition of silane and acetylene 33 (1994) 517
- Reisfeld, R., D. Shamrakov and C. Jorgensen, Photostable solar concentrators based on fluorescent glass films 33 (1994) 417
- Reuter, H. and H. Schmitt, On the efficiency of photon recycling in solar cells 33 (1994) 369
- Ross, H., J. Bendig and S. Hecht, Sensitized photocatalytic oxidation of terbutylazine 33 (1994) 475
- Saha, H., see Datta, S.K. 33 (1994) 483
- Santhi, S., see John, S. 33 (1994) 505
- Scheffler, W., see Oelher, U. 33 (1994) 379
- Scheiman, D., see Jenkins, P. 33 (1994) 125
- Schissel, P., G. Jorgensen, C. Kennedy and R. Goggin, Silvered-PMMA reflectors 33 (1994) 183
- Schmitt, H., see Reuter, H. 33 (1994) 369
- Schön, J.H., G. Binder and E. Bucher, Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers 33 (1994) 403
- Sebastian, P.J., see Quintana, J. 33 (1994) 465
- Shamrakov, D., see Reisfeld, R. 33 (1994) 417
- Shengeliya, T.E., see Bobrenko, Yu.N. 33 (1994) 83
- Singh, S.N., see Basu, P.K. 33 (1994) 317
- Sinke, W.C., see Mijnaerends, P.E. 33 (1994) 345
- Suzuki, M., see Fernando, C.A.N. 33 (1994) 301
- Takahashi, K., see Fernando, C.A.N. 33 (1994) 301
- Tepehan, F., see Dilmaç, S. 33 (1994) 199
- Thève, M.L., see Ech-chamikh, E. 33 (1994) 361
- Thève, M.L., see Ech-chamikh, E. 33 (1994) 443
- Valmalette, J.C. and J.R. Gavarrí, Vanadium dioxide/polymer composites: thermochromic behaviour and modelling of optical transmittance 33 (1994) 135
- van Dijk, H.A.L., see Zeegers, J. 33 (1994) 23
- Visco, S.J., see Lampert, C.M. 33 (1994) 91
- Wallace, R., see Yi, J. 33 (1994) 145
- Werner, J.H., see Kolodinski, S. 33 (1994) 275
- Yi, J., R. Wallace, J. Palmer and W.A. Anderson, Thin film amorphous and microcrystalline Si for solar cells 33 (1994) 145
- Zeegers, J. and H.A.L. van Dijk, A note on the net radiation method applied to a system composed of a semitransparent film between two glazings 33 (1994) 23



ELSEVIER

Solar Energy Materials and Solar Cells 33 (1993) 539–552

---

---

Solar Energy Materials  
and Solar Cells

---

---

## Subject Index Volume 33

### *Amorphous materials, general*

- Sol gel preparation of mixed cerium–titanium oxide thin films, D. Kéomany, C. Poinsignon and D. Deroo 33 (1994) 429

### *Amorphous semiconductors*

- Optical and structural properties of RF sputtered a-C:H films, E. Ech-chamikh, E.L. Ameziane, A. Bennouna, M. Azizan, Y. Bounouh, M.L. Thèye, J. Cernogora and J.L. Fave 33 (1994) 361

### *Amorphous silicon, hydrogenated amorphous Si, general material properties*

- Thin film amorphous and microcrystalline Si for solar cells, J. Yi, R. Wallace, J. Palmer and W.A. Anderson 33 (1994) 145

### *Amorphous silicon, hydrogenated amorphous Si, general solar cell properties and device physics*

- Thin film amorphous and microcrystalline Si for solar cells, J. Yi, R. Wallace, J. Palmer and W.A. Anderson 33 (1994) 145  
Dependence of the  $I$ – $V$  characteristics of amorphous silicon solar cells on illumination intensity and temperature, Y. Hishikawa and S. Okamoto 33 (1994) 157

### *Amorphous silicon, hydrogenated amorphous Si, optical studies in stability*

- Thin film amorphous and microcrystalline Si for solar cells, J. Yi, R. Wallace, J. Palmer and W.A. Anderson 33 (1994) 145

### *Amorphous silicon carbide alloys*

- Improved quality a-SiC:H films prepared by photo chemical vapour decomposition of silane and acetylene, S. Ray, S. Ghosh, A. De and A.K. Barua 33 (1994) 517

### *Annealing*

- Comprehensive evaluation of ITO thick films produced under optimum annealing conditions, F. Barlow, M.A. Naby, A. Joshi and A. Elshabini-Riad 33 (1994) 63  
Thin film amorphous and microcrystalline Si for solar cells, J. Yi, R. Wallace, J. Palmer and W.A. Anderson 33 (1994) 145  
The mechanism of the oxygen annealing in gold surface barriers on  $\text{CdS}_x\text{Se}_{1-x}$  devices, A.M. Al-Dhafiri and A.A.I. Al-Bassam 33 (1994) 177

*Antireflection coatings*

- Analysis of thin silicon solar cells for high efficiency, S.K. Datta, K. Mukhopadhyay, P.K. Pal and H. Saha 33 (1994) 483

*Auger effect*

- Quantum efficiencies exceeding unity in silicon leading to novel selection principles for solar cell materials, S. Kolodinski, J.H. Werner and H.J. Queisser 33 (1994) 275

*Cadmium compounds*

- The mechanism of the oxygen annealing in gold surface barriers on  $\text{CdS}_x\text{Se}_{1-x}$  devices, A.M. Al-Dhafiri and A.A.I. Al-Bassam 33 (1994) 177

*Cadmium sulfide, CdS*

- Structural and electrical properties of RF sputtered Cu/Te/CdTe contact, F. Debbagh, E.L. Ameziane, M. Azizan and M. Brunel 33 (1994) 117

*Cadmium telluride, CdTe*

- Structural and electrical properties of RF sputtered Cu/Te/CdTe contact, F. Debbagh, E.L. Ameziane, M. Azizan and M. Brunel 33 (1994) 117

*Catalysis*

- Sensitized photocatalytical oxidation of terbutylazine, H. Ross, J. Bendig and S. Hecht 33 (1994) 475

*Chalcopyrite compounds*

- Polycrystalline n-CuInSe<sub>2</sub> photoelectrochemical solar cells — Electrochemistry and deposition of copper and indium at the photoanode and the accompanying efficiency enhancement, N.N. Rao and G. Ramachandraiah 33 (1994) 331

*Chemical vapour deposition*

- Improved quality a-SiC:H films prepared by photo chemical vapour decomposition of silane and acetylene, S. Ray, S. Ghosh, A. De and A.K. Barua 33 (1994) 517

*Chromium*

- The influence of various substrate treatments on morphology and selective absorber characteristics of electrochemical black chrome, J. Quintana and P.J. Sebastian 33 (1994) 465

*Coating techniques*

- Sol gel preparation of mixed cerium-titanium oxide thin films, D. Kéomany, C. Poinsignon and D. Deroo 33 (1994) 429

*Cobalt oxides and sulfides, CoO, Co<sub>3</sub>O<sub>4</sub>, CoS*

- Electrochromism in cobalt oxide thin films grown by anodic electroprecipitation, C.N. Polo da Fonseca, M.-A. De Paoli and A. Gorenstein 33 (1994) 73

*Concentrated solar radiation*

- A choice of the position of receiver with photocells in parabolic trough concentrator, V.I. Kabakov and L.B. Levin 33 (1994) 45  
 On the efficiency of photon recycling in solar cells, H. Reuter and H. Schmitt 33 (1994) 369  
 Photostable solar concentrators based on fluorescent glass films, R. Reisfeld, D. Shamrakov and C. Jorgensen 33 (1994) 417  
 Computations of the optical properties of metal/insulator-multilayers for solar thermal applications, R. Kirchner, M.Ch. Lux-Steiner, E. Liebemann and E. Bucher 33 (1994) 453

*Conversion efficiency*

- 2-Dimensional simulation of high efficiency silicon solar cells, B. Delley and H. Kiess 33 (1994) 1  
 Absolute limiting efficiencies for photovoltaic energy conversion, G.L. Araújo and A. Martí 33 (1994) 213  
 Quantum efficiencies exceeding unity in silicon leading to novel selection principles for solar cell materials, S. Kolodinski, J.H. Werner and H.J. Queisser 33 (1994) 275  
 Photostable solar concentrators based on fluorescent glass films, R. Reisfeld, D. Shamrakov and C. Jorgensen 33 (1994) 417  
 Analysis of thin silicon solar cells for high efficiency, S.K. Datta, K. Mukhopadhyay, P.K. Pal and H. Saha 33 (1994) 483

*Concentrators*

- A choice of the position of receiver with photocells in parabolic trough concentrator, V.I. Kabakov and L.B. Levin 33 (1994) 45  
 New low cost solar tracker, V. Poulek 33 (1994) 287  
 Photostable solar concentrators based on fluorescent glass films, R. Reisfeld, D. Shamrakov and C. Jorgensen 33 (1994) 417

*Copper compounds*

- Structural and electrical properties of RF sputtered Cu/Te/CdTe contact, F. Debbagh, E.L. Ameziame, M. Azizan and M. Brunel 33 (1994) 117  
 Photoelectrochemical properties of rhodamine-C<sub>18</sub> sensitized p-CuSCN photoelectrochemical cell (PEC), C.A.N. Fernando, A. Kitagawa, M. Suzuki, K. Takahashi and T. Komura 33 (1994) 301

*Copper indium selenide, CuInSe<sub>2</sub>*

- Photoconductivity in CuInSe<sub>2</sub> films, R. Pal, K.K. Chattopadhyay, S. Chaudhuri and A.K. Pal 33 (1994) 241
- Polycrystalline n-CuInSe<sub>2</sub> photoelectrochemical solar cells — Electrochemistry and deposition of copper and indium at the photoanode and the accompanying efficiency enhancement, N.N. Rao and G. Ramachandraiah 33 (1994) 331

*Copper sulfide, Cu<sub>2</sub>S, Cu<sub>x</sub>S*

- II-VI thin-film polycrystalline multilayer converters for solar photovoltaics, Yu.N. Bobrenko, V.V. Kislyuk, K.V. Kolezhuk, V.N. Komashchenko, S.Yu. Pavelets and T.E. Shengeliya 33 (1994) 83

*Crystal microstructure*

- SEM investigation of structural defect hydrogen passivation in silicon, E.A. Katz, A.E. Luk'yanov, N.A. Butylkina and B.N. Evtody 33 (1994) 51
- Improved quality a-SiC:H films prepared by photo chemical vapour decomposition of silane and acetylene, S. Ray, S. Ghosh, A. De and A.K. Barua 33 (1994) 517

*Crystalline silicon, cells and related coatings*

- 2-Dimensional simulation of high efficiency silicon solar cells, B. Delley and H. Kiess 33 (1994) 1
- SEM investigation of structural defect hydrogen passivation in silicon, E.A. Katz, A.E. Luk'yanov, N.A. Butylkina and B.N. Evtody 33 (1994) 51
- Quantum efficiencies exceeding unity in silicon leading to novel selection principles for solar cell materials, S. Kolodinski, J.H. Werner and H.J. Queisser 33 (1994) 275
- On the determination of minority carrier diffusion length in the base region of n<sup>+</sup>-p-p<sup>+</sup> silicon solar cells using photoresponse methods, P.K. Basu and S.N. Singh 33 (1994) 317
- Analysis of thin silicon solar cells for high efficiency, S.K. Datta, K. Mukhopadhyay, P.K. Pal and H. Saha 33 (1994) 483

*Current-voltage measurements*

- Characteristics of laminated electrochromic devices using polyorganosulfide electrodes, C.M. Lampert, S.J. Visco, M.M. Doeff, Y.P. Ma, Y. He and J.-C. Giron 33 (1994) 91
- Dependence of the I-V characteristics of amorphous silicon solar cells on illumination intensity and temperature, Y. Hishikawa and S. Okamoto 33 (1994) 157
- Photoelectrochemical characterization of sprayed tungsten oxide thin films, P.S. Patil and P.R. Patil 33 (1994) 293
- The effect of material inhomogeneities on the characteristics of semicrystalline silicon solar cells: the second diode, P.E. Mijnders, G.J.M. Janssen and W.C. Sinke 33 (1994) 345

*Efficiency*

- Absolute limiting efficiencies for photovoltaic energy conversion, G.L. Araújo and A. Martí 33 (1994) 213
- On the efficiency of photon recycling in solar cells, H. Reuter and H. Schmitt 33 (1994) 369



*Electrical conductivity of amorphous semiconductors*

- Structural, electrical and optical properties of RF sputtered a-C films, E. Echamikh, E.L. Ameziane, M. Azizan, A. Bennouna, J.L. Fave, J. Cernogora, Y. Bounouh and M.L. Th  ye 33 (1994) 443

*Electrical properties*

- On the determination of minority carrier diffusion length in the base region of  $n^+-p-p^+$  silicon solar cells using photoresponse methods, P.K. Basu and S.N. Singh 33 (1994) 317

*Electrochemical electrodes*

- Characteristics of laminated electrochromic devices using polyorganodisulfide electrodes, C.M. Lampert, S.J. Visco, M.M. Doeff, Y.P. Ma, Y. He and J.-C. Giron 33 (1994) 91

*Electrochemistry*

- Polycrystalline n-CuInSe<sub>2</sub> photoelectrochemical solar cells — Electrochemistry and deposition of copper and indium at the photoanode and the accompanying efficiency enhancement, N.N. Rao and G. Ramachandraiah 33 (1994) 331

*Electrochromism*

- Electrochromism in cobalt oxide thin films grown by anodic electroprecipitation, C.N. Polo da Fonseca, M.-A. De Paoli and A. Gorenstein 33 (1994) 73
- Characteristics of laminated electrochromic devices using polyorganodisulfide electrodes, C.M. Lampert, S.J. Visco, M.M. Doeff, Y.P. Ma, Y. He and J.-C. Giron 33 (1994) 91
- Sol gel preparation of mixed cerium-titanium oxide thin films, D. K  omany, C. Poinsignon and D. Deroo 33 (1994) 429

*Electrodeposition*

- The influence of various substrate treatments on morphology and selective absorber characteristics of electrochemical black chrome, J. Quintana and P.J. Sebastian 33 (1994) 465

*Emissivity*

- A note on the net radiation method applied to a system composed of a semitransparent film between two glazings, J. Zeegers and H.A.L. van Dijk 33 (1994) 23
- Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers, J.H. Sch  n, G. Binder and E. Bucher 33 (1994) 403
- Computations of the optical properties of metal/insulator-multilayers for solar thermal applications, R. Kirchner, M.Ch. Lux-Steiner, E. Liebm  nn and E. Bucher 33 (1994) 453

- The influence of various substrate treatments on morphology and selective absorber characteristics of electrochemical black chrome, J. Quintana and P.J. Sebastian 33 (1994) 465

### *Energy gap*

- Structural, electrical and optical properties of RF sputtered a-C films, E. Echamikh, E.L. Ameziane, M. Azizan, A. Bennouna, J.L. Fave, J. Cernogora, Y. Bounouh and M.L. Thèye 33 (1994) 443

### *Environmental degradation and testing*

- Sensitized photocatalytical oxidation of terbutylazine, H. Ross, J. Bendig and S. Hecht 33 (1994) 475

### *Fluorescent materials and photoluminescence*

- Photostable solar concentrators based on fluorescent glass films, R. Reisfeld, D. Shamrakov and C. Jorgensen 33 (1994) 417

### *Furnaces*

- The use of indigenous materials for solar conversion, U. Oelher and W. Scheffler 33 (1994) 379

### *Glazings, plastics and glass*

- A note on the net radiation method applied to a system composed of a semitransparent film between two glazings, J. Zeegers and H.A.L. van Dijk 33 (1994) 23

### *Grain boundaries and size*

- SEM investigation of structural defect hydrogen passivation in silicon, E.A. Katz, A.E. Luk'yanov, N.A. Butylkina and B.N. Evtody 33 (1994) 51  
Photoconductivity in CuInSe<sub>2</sub> films, R. Pal, K.K. Chattopadhyay, S. Chaudhuri and A.K. Pal 33 (1994) 241

### *Heat mirror coatings and transparent conductors*

- Vanadium dioxide/polymer composites: thermochromic behaviour and modelling of optical transmittance, J.C. Valmalette and J.R. Gavarri 33 (1994) 135

### *Heat transfer*

- A note on the net radiation method applied to a system composed of a semitransparent film between two glazings, J. Zeegers and H.A.L. van Dijk 33 (1994) 23  
A choice of the position of receiver with photocells in parabolic trough concentrator, V.I. Kabakov and L.B. Levin 33 (1994) 45  
Preliminary study of a heat storage unit using a solid-solid transition, J. Font, J. Muntasell and F. Cardoner 33 (1994) 169

*I-V characteristics*

- Polycrystalline n-CuInSe<sub>2</sub> photoelectrochemical solar cells — Electrochemistry and deposition of copper and indium at the photoanode and the accompanying efficiency enhancement, N.N. Rao and G. Ramachandraiah 33 (1994) 331
- The effect of material inhomogeneities on the characteristics of semicrystalline silicon solar cells: the second diode, P.E. Mijnders, G.J.M. Janssen and W.C. Sinke 33 (1994) 345

*II-VI semiconductors*

- II-VI thin-film polycrystalline multilayer converters for solar photovoltaics, Yu.N. Bobrenko, V.V. Kislyuk, K.V. Kolehuk, V.N. Komashchenko, S.Yu. Pavelets and T.E. Shengeliya 33 (1994) 83
- The mechanism of the oxygen annealing in gold surface barriers on CdS<sub>x</sub>Se<sub>1-x</sub> devices, A.M. Al-Dhafiri and A.A.I. Al-Bassam 33 (1994) 177

*Indium phosphide, InP*

- An InP solar cell with a light-trapping front surface, P. Jenkins, G.A. Landis, N.S. Fatemi, D. Scheiman, X. Li and S.G. Bailey 33 (1994) 125

*Indium tin oxide, In<sub>2</sub>O<sub>3</sub>: Sn*

- Comprehensive evaluation of ITO thick films produced under optimum annealing conditions, F. Barlow, M.A. Naby, A. Joshi and A. Elshabini-Riad 33 (1994) 63
- Electrochromism in cobalt oxide thin films grown by anodic electroprecipitation, C.N. Polo da Fonseca, M.-A. De Paoli and A. Gorenstein 33 (1994) 73

*Light trapping (concentration)*

- An InP solar cell with a light-trapping front surface, P. Jenkins, G.A. Landis, N.S. Fatemi, D. Scheiman, X. Li and S.G. Bailey 33 (1994) 125
- On the efficiency of photon recycling in solar cells, H. Reuter and H. Schmitt 33 (1994) 369

*Measurements, absorbance, emittance and reflectance*

- The effect of the inner structure on the absorbance of cement based exterior coatings, S. Dilmaç and F. Tepehan 33 (1994) 199

*Minority carriers*

- On the determination of minority carrier diffusion length in the base region of n<sup>+</sup>-p-p<sup>+</sup> silicon solar cells using photoresponse methods, P.K. Basu and S.N. Singh 33 (1994) 317

*Mirrors*

- Silvered-PMMA reflectors, P. Schissel, G. Jorgensen, C. Kennedy and R. Goggin 33 (1994) 183
- On the efficiency of photon recycling in solar cells, H. Reuter and H. Schmitt 33 (1994) 369

*Optical films*

- A note on the net radiation method applied to a system composed of a semitransparent film between two glazings, J. Zeegers and H.A.L. van Dijk 33 (1994) 23  
 Silvered-PMMA reflectors, P. Schissel, G. Jorgensen, C. Kennedy and R. Goggin 33 (1994) 183

*Optical properties*

- Comprehensive evaluation of ITO thick films produced under optimum annealing conditions, F. Barlow, M.A. Naby, A. Joshi and A. Elshabini-Riad 33 (1994) 63  
 Characteristics of laminated electrochromic devices using polyorganodisulfide electrodes, C.M. Lampert, S.J. Visco, M.M. Doeff, Y.P. Ma, Y. He and J.-C. Giron 33 (1994) 91  
 Optical and structural properties of RF sputtered a-C:H films, E. Ech-chamikh, E.L. Amezziane, A. Bennouna, M. Azizan, Y. Bounouh, M.L. Thèye, J. Cernogora and J.L. Fave 33 (1994) 361  
 Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers, J.H. Schön, G. Binder and E. Bucher 33 (1994) 403  
 Structural, electrical and optical properties of RF sputtered a-C films, E. Ech-chamikh, E.L. Amezziane, M. Azizan, A. Bennouna, J.L. Fave, J. Cernogora, Y. Bounouh and M.L. Thèye 33 (1994) 443

*Optics*

- Solar thermophotovoltaics: brief review and a new look, P.A. Davies and A. Luque 33 (1994) 11  
 New low cost solar tracker, V. Poulek 33 (1994) 287

*p-n heterojunctions*

- II-VI thin-film polycrystalline multilayer converters for solar photovoltaics, Yu.N. Bobrenko, V.V. Kislyuk, K.V. Kozhuk, V.N. Komashchenko, S.Yu. Pavelets and T.E. Shengeliya 33 (1994) 83

*Passivation*

- SEM investigation of structural defect hydrogen passivation in silicon, E.A. Katz, A.E. Luk'yanov, N.A. Butylkina and B.N. Evtody 33 (1994) 51

*Photochemistry*

- Sensitized photocatalytical oxidation of terbutylazine, H. Ross, J. Bendig and S. Hecht 33 (1994) 475

*Photoconductivity*

- Dependence of the  $I$ - $V$  characteristics of amorphous silicon solar cells on illumination intensity and temperature, Y. Hishikawa and S. Okamoto 33 (1994) 157

*Photocurrent*

- Photoelectrochemical properties of rhodamine- $C_{18}$  sensitized p-CuSCN photoelectrochemical cell (PEC), C.A.N. Fernando, A. Kitagawa, M. Suzuki, K. Takahashi and T. Komura 33 (1994) 301
- On the determination of minority carrier diffusion length in the base region of  $n^+-p-p^+$  silicon solar cells using photoresponse methods, P.K. Basu and S.N. Singh 33 (1994) 317

*Photoelectrochemical cells*

- Photoelectrochemical characterization of sprayed tungsten oxide thin films, P.S. Patil and P.R. Patil 33 (1994) 293
- Photoelectrochemical properties of rhodamine- $C_{18}$  sensitized p-CuSCN photoelectrochemical cell (PEC), C.A.N. Fernando, A. Kitagawa, M. Suzuki, K. Takahashi and T. Komura 33 (1994) 301
- Polycrystalline n-CuInSe<sub>2</sub> photoelectrochemical solar cells — Electrochemistry and deposition of copper and indium at the photoanode and the accompanying efficiency enhancement, N.N. Rao and G. Ramachandraiah 33 (1994) 331

*Photoluminescence*

- Optical and structural properties of RF sputtered a-C:H films, E. Ech-chamikh, E.L. Ameziane, A. Bennouna, M. Azizan, Y. Bounouh, M.L. Thèye, J. Cernogora and J.L. Fave 33 (1994) 361

*Photovoltaic effects*

- II-VI thin-film polycrystalline multilayer converters for solar photovoltaics, Yu.N. Bobrenko, V.V. Kislyuk, K.V. Kolehuk, V.N. Komashchenko, S.Yu. Pavelets and T.E. Shengeliya 33 (1994) 83
- Dependence of the  $I-V$  characteristics of amorphous silicon solar cells on illumination intensity and temperature, Y. Hishikawa and S. Okamoto 33 (1994) 157
- Absolute limiting efficiencies for photovoltaic energy conversion, G.L. Araújo and A. Martí 33 (1994) 213

*Photovoltaics, general properties and types*

- A choice of the position of receiver with photocells in parabolic trough concentrator, V.I. Kabakov and L.B. Levin 33 (1994) 45
- Quantum efficiencies exceeding unity in silicon leading to novel selection principles for solar cell materials, S. Kolodinski, J.H. Werner and H.J. Queisser 33 (1994) 275
- New low cost solar tracker, V. Poulek 33 (1994) 287

*Polycrystalline silicon*

- The effect of material inhomogeneities on the characteristics of semicrystalline silicon solar cells: the second diode, P.E. Mijnders, G.J.M. Janssen and W.C. Sinke 33 (1994) 345

*Reflectivity*

- A note on the net radiation method applied to a system composed of a semitransparent film between two glazings, J. Zeegers and H.A.L. van Dijk 33 (1994) 23
- Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers, J.H. Schön, G. Binder and E. Bucher 33 (1994) 403

*Reflector materials, degradation*

- Silvered-PMMA reflectors, P. Schissel, G. Jorgensen, C. Kennedy and R. Goggin 33 (1994) 183

*Reflector materials, polymer substrates*

- Silvered-PMMA reflectors, P. Schissel, G. Jorgensen, C. Kennedy and R. Goggin 33 (1994) 183

*Reflector materials, protective coatings*

- Vanadium dioxide/polymer composites: thermochromic behaviour and modelling of optical transmittance, J.C. Valmalette and J.R. Gavarri 33 (1994) 135

*Scanning electron microscope examination of materials*

- SEM investigation of structural defect hydrogen passivation in silicon, E.A. Katz, A.E. Luk'yanov, N.A. Butylkina and B.N. Evtody 33 (1994) 51
- The effect of the inner structure on the absorptance of cement based exterior coatings, S. Dilmaç and F. Tepehan 33 (1994) 199

*Schottky barriers*

- The mechanism of the oxygen annealing in gold surface barriers on  $\text{CdS}_x\text{Se}_{1-x}$  devices, A.M. Al-Dhafiri and A.A.I. Al-Bassam 33 (1994) 177

*Selective absorbers, chromium*

- The influence of various substrate treatments on morphology and selective absorber characteristics of electrochemical black chrome, J. Quintana and P.J. Sebastian 33 (1994) 465

*Selective absorbers, composites and cermets*

- Vanadium dioxide/polymer composites: thermochromic behaviour and modelling of optical transmittance, J.C. Valmalette and J.R. Gavarri 33 (1994) 135
- Computations of the optical properties of metal/insulator-multilayers for solar thermal applications, R. Kirchner, M.Ch. Lux-Steiner, E. Liebemann and E. Bucher 33 (1994) 453

*Selective absorbers, paints*

- Photoconductivity in  $\text{CuInSe}_2$  films, R. Pal, K.K. Chattopadhyay, S. Chaudhuri and A.K. Pal 33 (1994) 241

*Selective absorbers, theory and general systems*

- Computations of the optical properties of metal/insulator-multilayers for solar thermal applications, R. Kirchner, M.Ch. Lux-Steiner, E. Liebemann and E. Bucher 33 (1994) 453

*Selective surfaces, theory and general materials*

- Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers, J.H. Schön, G. Binder and E. Bucher 33 (1994) 403

*Semiconductor thin films*

- Structural and electrical properties of RF sputtered Cu/Te/CdTe contact, F. Debbagh, E.L. Ameziane, M. Azizan and M. Brunel 33 (1994) 117
- Improved quality a-SiC:H films prepared by photo chemical vapour decomposition of silane and acetylene, S. Ray, S. Ghosh, A. De and A.K. Barua 33 (1994) 517

*Sensitization*

- Photoelectrochemical properties of rhodamine-C<sub>18</sub> sensitized p-CuSCN photoelectrochemical cell (PEC), C.A.N. Fernando, A. Kitagawa, M. Suzuki, K. Takahashi and T. Komura 33 (1994) 301
- Sensitized photocatalytical oxidation of terbutylazine, H. Ross, J. Bendig and S. Hecht 33 (1994) 475

*Silicon*

- Quantum efficiencies exceeding unity in silicon leading to novel selection principles for solar cell materials, S. Kolodinski, J.H. Werner and H.J. Queisser 33 (1994) 275
- The effect of material inhomogeneities on the characteristics of semicrystalline silicon solar cells: the second diode, P.E. Mijnders, G.J.M. Janssen and W.C. Sinke 33 (1994) 345

*Solar absorber-convertors*

- Vanadium dioxide/polymer composites: thermochromic behaviour and modelling of optical transmittance, J.C. Valmalette and J.R. Gavarri 33 (1994) 135

*Solar cell arrays*

- New low cost solar tracker, V. Poulek 33 (1994) 287

*Solar cells*

- 2-Dimensional simulation of high efficiency silicon solar cells, B. Delley and H. Kiess 33 (1994) 1

- Solar thermophotovoltaics: brief review and a new look, P.A. Davies and A. Luque 33 (1994) 11
- Comprehensive evaluation of ITO thick films produced under optimum annealing conditions, F. Barlow, M.A. Naby, A. Joshi and A. Elshabini-Riad 33 (1994) 63
- II-VI thin-film polycrystalline multilayer converters for solar photovoltaics, Yu.N. Bobrenko, V.V. Kislyuk, K.V. Kolezhuk, V.N. Komashchenko, S.Yu. Pavelets and T.E. Shengeliya 33 (1994) 83
- An InP solar cell with a light-trapping front surface, P. Jenkins, G.A. Landis, N.S. Fatemi, D. Scheiman, X. Li and S.G. Bailey 33 (1994) 125
- The mechanism of the oxygen annealing in gold surface barriers on  $\text{CdS}_x\text{Se}_{1-x}$  devices, A.M. Al-Dhafiri and A.A.I. Al-Bassam 33 (1994) 177
- Absolute limiting efficiencies for photovoltaic energy conversion, G.L. Araújo and A. Martí 33 (1994) 213
- Photoelectrochemical properties of rhodamine- $\text{C}_{18}$  sensitized p-CuSCN photoelectrochemical cell (PEC), C.A.N. Fernando, A. Kitagawa, M. Suzuki, K. Takahashi and T. Komura 33 (1994) 301
- On the efficiency of photon recycling in solar cells, H. Reuter and H. Schmitt 33 (1994) 369
- Analysis of thin silicon solar cells for high efficiency, S.K. Datta, K. Mukhopadhyay, P.K. Pal and H. Saha 33 (1994) 483

### *Solar collectors*

- Silvered-PMMA reflectors, P. Schissel, G. Jorgensen, C. Kennedy and R. Goggin 33 (1994) 183
- Computations of the optical properties of metal/insulator-multilayers for solar thermal applications, R. Kirchner, M.Ch. Lux-Steiner, E. Liebemann and E. Bucher 33 (1994) 453

### *Solar concentrators*

- New low cost solar tracker, V. Poulek 33 (1994) 287

### *Solar furnace*

- The use of indigenous materials for solar conversion, U. Oelher and W. Scheffler 33 (1994) 379

### *Solar heating*

- Preliminary study of a heat storage unit using a solid-solid transition, J. Font, J. Muntasell and F. Cardoner 33 (1994) 169
- The use of indigenous materials for solar conversion, U. Oelher and W. Scheffler 33 (1994) 379

### *Solar radiation*

- A choice of the position of receiver with photocells in parabolic trough concentrator, V.I. Kabakov and L.B. Levin 33 (1994) 45
- The use of indigenous materials for solar conversion, U. Oelher and W. Scheffler 33 (1994) 379

### *Spectral response*

- Electrochromism in cobalt oxide thin films grown by anodic electroprecipitation, C.N. Polo da Fonseca, M.-A. De Paoli and A. Gorenstein 33 (1994) 73



- Characteristics of laminated electrochromic devices using polyorganodisulfide electrodes, C.M. Lampert, S.J. Visco, M.M. Doeff, Y.P. Ma, Y. He and J.-C. Giron 33 (1994) 91
- On the determination of minority carrier diffusion length in the base region of  $n^+-p-p^+$  silicon solar cells using photoresponse methods, P.K. Basu and S.N. Singh 33 (1994) 317

### *Sputtered coatings*

- Optical and structural properties of RF sputtered a-C:H films, E. Ech-chamikh, E.L. Ameziane, A. Bennouna, M. Azizan, Y. Bounouh, M.L. Thèye, J. Cernogora and J.L. Fave 33 (1994) 361
- Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers, J.H. Schön, G. Binder and E. Bucher 33 (1994) 403
- Structural, electrical and optical properties of RF sputtered a-C films, E. Ech-chamikh, E.L. Ameziane, M. Azizan, A. Bennouna, J.L. Fave, J. Cernogora, Y. Bounouh and M.L. Thèye 33 (1994) 443

### *Structural properties*

- Structural and electrical properties of RF sputtered Cu/Te/CdTe contact, F. Debbagh, E.L. Ameziane, M. Azizan and M. Brunel 33 (1994) 117
- Structural, electrical and optical properties of RF sputtered a-C films, E. Ech-chamikh, E.L. Ameziane, M. Azizan, A. Bennouna, J.L. Fave, J. Cernogora, Y. Bounouh and M.L. Thèye 33 (1994) 443

### *Textured surfaces*

- An InP solar cell with a light-trapping front surface, P. Jenkins, G.A. Landis, N.S. Fatemi, D. Scheiman, X. Li and S.G. Bailey 33 (1994) 125

### *Thermal energy storage*

- Vanadium dioxide/polymer composites: thermochromic behaviour and modelling of optical transmittance, J.C. Valmalette and J.R. Gavarrí 33 (1994) 135
- Preliminary study of a heat storage unit using a solid-solid transition, J. Font, J. Muntasell and F. Cardoner 33 (1994) 169

### *Thermal storage media*

- Preliminary study of a heat storage unit using a solid-solid transition, J. Font, J. Muntasell and F. Cardoner 33 (1994) 169

### *Thin film solar cells*

- Analysis of thin silicon solar cells for high efficiency, S.K. Datta, K. Mukhopadhyay, P.K. Pal and H. Saha 33 (1994) 483

*Thin films*

- Electrochromism in cobalt oxide thin films grown by anodic electroprecipitation, C.N. Polo da Fonseca, M.-A. De Paoli and A. Gorenstein 33 (1994) 73
- Photoelectrochemical characterization of sprayed tungsten oxide thin films, P.S. Patil and P.R. Patil 33 (1994) 293
- Optical and structural properties of RF sputtered a-C:H films, E. Ech-chamikh, E.L. Ameziame, A. Bennouna, M. Azizan, Y. Bounouh, M.L. Thèye, J. Cernogora and J.L. Fave 33 (1994) 361
- Performance and stability of some new high-temperature selective absorber systems based on metal/dielectric multilayers, J.H. Schön, G. Binder and E. Bucher 33 (1994) 403
- Sol gel preparation of mixed cerium-titanium oxide thin films, D. Kéomany, C. Poinsignon and D. Deroo 33 (1994) 429
- Improved quality a-SiC:H films prepared by photo chemical vapour decomposition of silane and acetylene, S. Ray, S. Ghosh, A. De and A.K. Barua 33 (1994) 517

*Titanium compounds*

- Sol gel preparation of mixed cerium-titanium oxide thin films, D. Kéomany, C. Poinsignon and D. Deroo 33 (1994) 429

*Titanium dioxide*

- Sol gel preparation of mixed cerium-titanium oxide thin films, D. Kéomany, C. Poinsignon and D. Deroo 33 (1994) 429
- Sensitized photocatalytical oxidation of terbutylazine, H. Ross, J. Bendig and S. Hecht 33 (1994) 475

*X-ray diffraction*

- The effect of the inner structure on the absorptance of cement based exterior coatings, S. Dilmaç and F. Tepehan 33 (1994) 199
- Sol gel preparation of mixed cerium-titanium oxide thin films, D. Kéomany, C. Poinsignon and D. Deroo 33 (1994) 429
- The influence of various substrate treatments on morphology and selective absorber characteristics of electrochemical black chrome, J. Quintana and P.J. Sebastian 33 (1994) 465

